

IFT-Rosenheim certification

Rollglass+ KSC & Unikglass+ KSC
Sliding systems

KLEIN®

Evidence of Performance

Hardware for sliding doors and folding doors accordig EN 1527 : 2013



Test Report
Nr. 18-001144-PR01
(PB+KB-G03-03-en-01)

Client KLEIN IBERICA S.A.U.
Crta N-150 KM 1 Pol. Ind. Can Cuias
08110 Montcada I Reixac
Spain

Product Hardware for sliding door for glassing doors

Designation ROLLGLASS+ 100 KSC

Performance-relevant product details Guide rail system: Art. Nr: 2411 (Aluminium),
bogie: Art Nr.: 500 2450,
entring damper: Art. Nr: 500 2315
max. load: 100 kg,
fixing off the guide rail top: 8 Spax 4,0 mm x 40 mm

Maintenance According maintenance manual of the producer dated 01/17

Special features -/-

Basis
EN 1527 : 2013
Test standard
EN 1527 : 2013

Equivalent national versions
(e. g. DIN EN)

Representation



Instructions for use

This test report serves to verify compliance with the requirements for Hardware for sliding doors and folding doors according EN 1527 : 2013.

result



Classification according EN 1527 : 2013

Category of use	Durability	Door mass	Fire resistance	Safety	Corrosion resistance	Security	Category of door	Initial friction
-/-	6	2	-/-	1	4	-/-	1	2*/3**

* measured starting from the end stop

** measured out of the end stop

Validity

The data and results refer solely to the tested and described specimen. Classification remains valid as long as the product and the above basis remain unchanged. The results can be extrapolated under the manufacturer's own liability subject to observance of the relevant specifications set out by the applicable product standard. This test/evaluation does not allow any statement to be made on any further characteristics regarding performance and quality of the construction presented, in particular the effects of weathering and ageing were not taken into account.

Notes on publication

The ift-Guidance Sheet "Advertising with ift test documents" applies. The cover sheet can be used as an abstract.

The report contains a total of 34 pages

ift Rosenheim
04.10.2018

Konrad Querengässer, Dipl.-Ing. (FH)
Head of Testing Department
Security/Safety Testing

Florian Luge
Operating Testing Officer
Security/Safety Testing

Evidence of Performance

Hardware for sliding doors and folding doors
according EN 1527 : 2013



Test Report

Nr. 18-001144-PR03

(PB+KB-G03-03-en-01)

Client KLEIN IBERICA S.A.U.
Crta N-150 KM 1 Pol. Ind. Can Cuias
08110 Montcada I Reixac
Spain

Product Hardware for sliding door for glassing doors

Designation UNIKGLASS+ 100 KSC and KBS

Performance-relevant product details Guide rail system: Art. Nr: 2332 (Aluminium),
bogie: Art Nr.: 500 2450,
entering damper: Art. Nr: 500 2315 and 500 2330
max. load: 100 kg,
fixing of the guide rail top: 8 Spax 4,0 mm x 40 mm

Maintenance According maintenance manual of the producer dated 01/17

Special features Tested with two different entering damper on each side within the same test

Basis
EN 1527 : 2013
Test standard
EN 1527 : 2013

Equivalent national versions
(e. g. DIN EN)

Representation



result



Classification according EN 1527 : 2013

Category of use	Durability	Door mass	Fire resistance	Safety	Corrosion resistance	Security	Category of door	Initial friction
-/-	6	2	-/-	1	4	-/-	1	2*/3**

* measured starting from the end stop

** measured out of the end stop

ift Rosenheim

04.10.2018

Konrad Querengässer, Dipl.-Ing. (FH)
Head of Testing Department
Security/Safety Testing

Florian Luge
Operating Testing Officer
Security/Safety Testing

Instructions for use

This test report serves to verify compliance with the requirements for Hardware for sliding doors and folding doors according EN 1527 : 2013.

Validity

The data and results refer solely to the tested and described specimen. Classification remains valid as long as the product and the above basis remain unchanged. The results can be extrapolated under the manufacturer's own liability subject to observance of the relevant specifications set out by the applicable product standard. This test/evaluation does not allow any statement to be made on any further characteristics regarding performance and quality of the construction presented, in particular the effects of weathering and ageing were not taken into account.

Notes on publication

The ift-Guidance Sheet "Advertising with ift test documents" applies. The cover sheet can be used as an abstract.

The report contains a total of 36 pages.

KLEIN®

KLEIN EUROPE
Polígono Industrial Can Cuyás
N-150 Km.1
08110 Montcada i Reixac
Barcelona (Spain)

Tel.: + 34 935 760 101
Fax: + 34 935 760 109

+ Info
klein@klein.es
www.klein.es

Síguenos en redes
Follow us on social media

