

**KLEIN®**

Sistema de puertas correderas  
Sliding doors system  
Système de porte coulissantes

# SENSUS

Interiorismo Madera  
Interior Design Wood  
Décoration d'Intérieur Bois

## ES

SENSUS permite dividir ambientes mediante un único panel corredero de madera. Compacto y robusto, sencillo y funcional, SENSUS resiste los usos más intensivos y reúne todos los criterios de excelencia KLEIN.

- Instalación a techo o a pared con aplicación:
  - Superior o
  - Retrac: con herrajes empotrados en la puerta para reducir a 4mm la separación entre el perfil y la puerta.
- Para paneles de 40 y 80kg.
- Sistema compacto para un diseño minimalista.
- Apertura y deslizamiento suave, particularmente silencioso gracias a la nueva tecnología de deslizamiento por fricción.
- Montaje rápido e intuitivo para una ejecución eficiente.
- Sistema compacto para un diseño minimalista.
- Ausencia de guía en el suelo para liberar la zona de paso.
- Perfil de aluminio anodizado Silver
- Garantía KLEIN® 5 años.

Sistemas testados más de 100.000 ciclos según la norma EN1527.

## ENG

SENSUS allows you to divide rooms with a single sliding wood panel. Compact and robust, simple and functional, SENSUS resists even the most intensive uses and meets all of KLEIN's criteria for excellence.

- Ceiling or wall installation in either of the following versions:
  - Upper or
  - Retrac: with fittings built into the door to reduce the separation between the profile and the door to 4 mm.
- For panels weighing 40 to 80 kg.
- Smooth opening and sliding, particularly silent thanks to our new frictional sliding technology.
- Quick, intuitive assembly for efficient implementation.
- Compact system for a minimalist design.
- Absence of any floor tracks to keep the passage area clear.
- Silver anodized aluminum profile.
- Five-year KLEIN® warranty.

Systems tested to over 100,000 cycles, in accordance with the EN 1527 standard.

## FR

SENSUS permet de diviser les pièces au moyen d'un seul panneau coulissant en bois. Compact et robuste, simple et fonctionnel, SENSUS résiste à l'utilisation la plus intensive et répond à tous les critères d'excellence de KLEIN.

- Deux versions disponibles, toutes deux pour pose au plafond ou au mur, au choix:
  - Superior ou
  - Retrac : l'encastrement des ferrures dans la porte permet de réduire l'espace entre le profilé et la porte à 4 mm.
- Convient aux panneaux de 40 et 80 kg.
- Ouverture et coulissement en douceur, particulièrement silencieux grâce à la nouvelle technologie de coulissement par friction.
- Montage rapide et intuitif pour faciliter la mise en place.
- Système compact permettant un design minimaliste.
- Pas de rail au sol, pour dégager la zone de passage.
- Profilé en aluminium anodisé Silver.
- Garantie KLEIN® de 5 ans.

Systèmes testés pour plus de 100 000 cycles conformément à la norme EN1527.





## Especificaciones Técnicas

Technical Specifications | Spécifications Techniques



### SENSUS 40



31 x 30 mm  
1 1/4" x 1 3/8"



Peso máximo puerta 40 kg  
Maximum door weight 88 lbs



Espesor puerta min. 25 mm  
Door thickness min 1"

### SENSUS 80



40 x 34 mm  
1 9/16" x 1 3/8"



Peso máximo puerta 80 kg  
Maximum door weight 176 lbs





Espesor puerta min. 25 mm  
Door thickness min 1"



**DOCUMENTACIÓN TÉCNICA**

Technical Documentation | Documentation Technique



— SENSUS 40 —



- Secciones | Sections | Profil Encastré





SUPERIOR



Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm    Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm

RETRAC






Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm    Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm



**DOCUMENTACIÓN TÉCNICA**

Technical Documentation | Documentation Technique



— SENSUS 80



- Secciones | Sections | Sections





SUPERIOR



Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm    Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm

RETRAC



Perfil Soporte 6mm | Wall Support Profile 6 mm | Profil de Support 6 mm    Perfil Soporte 17 mm | Wall Support Profile 17 mm | Profil de Support 17 mm

## Detalles

Details | Détails



SENSUS 40 RETRAC



SENSUS 40 SUPERIOR



SENSUS 80 RETRAC



SENSUS 80 SUPERIOR



## Proyectos

Projects | Projets



SENSUS 80 SUPERIOR



SENSUS 80 RETRAC

## Referencias

References | Références

ES

### Distribución

PERFILERIA			
Ref.	Descripción	U.	Img.
3792	PF. SENSUS 40 NATURAL 2m	1	I
3793	PF. SENSUS 40 NATURAL 3m	1	I
3862	PF. SENSUS 80 NATURAL 2m	1	L
3863	PF. SENSUS 80 NATURAL 3m	1	L
3867	PF. SENSUS 40 SILVER 2m	1	I
3868	PF. SENSUS 40 SILVER 3m	1	I
3797	PF. SENSUS 80 SILVER 2m	1	L
3798	PF. SENSUS 80 SILVER 3m	1	L

JUEGO DE ACCESORIOS			
Ref.	Descripción	U.	Img.
3779	JGO. ACC. SENSUS 40 SUPERIOR	2	J
3780	JGO. ACC. SENSUS 40 RETRAC	2	K
3823	JGO. ACC. SENSUS 80 SUPERIOR	2	M
3824	JGO. ACC. SENSUS 80 RETRAC	2	N

### ACCESORIOS COMPATIBLES

SOPORTE PARED			
Ref.	Descripción	U.	Img.
3387	SOPORTE PARED 6mm	10	G
2135	SOPORTE PARED 17mm	10	H

### Tienda Online

SENSUS 40 SUPERIOR			
Ref.	Descripción	U.	Img.
3700	KIT SENSUS 40 SUPERIOR NATURAL 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURAL 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURAL 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURAL 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 40 RETRAC			
Ref.	Descripción	U.	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 40 DUO RETRAC			
Ref.	Descripción	U.	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

ACCESORIOS			
Ref.	Descripción	U.	Img.
3387	SOPORTE PARED 6mm	10	G
2135	SOPORTE PARED 17mm	10	H

SENSUS 80 SUPERIOR			
Ref.	Descripción	U.	Img.
3800	KIT SENSUS 80 SUPERIOR NATURAL 1,80m	1	C
3801	KIT SENSUS 80 SUPERIOR NATURAL 2,40m	1	C
3802	KIT SENSUS 80 SUPERIOR NATURAL 2,80m	1	C
3803	KIT SENSUS 80 SUPERIOR NATURAL 3,40m	1	C
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	C
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	C
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	C
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	C
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C

SENSUS 80 RETRAC			
Ref.	Descripción	U.	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	D
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	D
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	D
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	D
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	D

SENSUS 80 DUO RETRAC			
Ref.	Descripción	U.	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F

## ENG

### Distribution

PROFILES			
Ref.	Description	U.	Img.
3792	PF. SENSUS 40 NATURAL 2m	1	I
3793	PF. SENSUS 40 NATURAL 3m	1	I
3862	PF. SENSUS 80 NATURAL 2m	1	L
3863	PF. SENSUS 80 NATURAL 3m	1	L
3867	PF. SENSUS 40 SILVER 2m	1	I
3868	PF. SENSUS 40 SILVER 3m	1	I
3797	PF. SENSUS 80 SILVER 2m	1	L
3798	PF. SENSUS 80 SILVER 3m	1	L

SET ACCESSORIES			
Ref.	Description	U.	Img.
3779	SET . ACC. SENSUS 40 SUPERIOR	2	J
3780	SET . ACC. SENSUS 40 RETRAC	2	K
3823	SET . ACC. SENSUS 80 SUPERIOR	2	M
3824	SET . ACC. SENSUS 80 RETRAC	2	N

### COMPATIBLE ACCESSORY

WALL BRACKET			
Ref.	Description	U.	Img.
3387	WALL BRACKET 6mm	10	G
2135	WALL BRACKET 17mm	10	H

### List by Kit

SENSUS 40 SUPERIOR			
Ref.	Description	U.	Img.
3700	KIT SENSUS 40 SUPERIOR NATURAL 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURAL 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURAL 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURAL 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 40 RETRAC			
Ref.	Description	U.	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 40 DUO RETRAC			
Ref.	Description	U.	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

ACCESSORY			
Ref.	Description	U.	Img.
3387	WALL BRACKET 6mm	10	G
2135	WALL BRACKET 17mm	10	H

SENSUS 80 SUPERIOR			
Ref.	Description	U.	Img.
3800	KIT SENSUS 80 SUPERIOR NATURAL 1,80m	1	C
3801	KIT SENSUS 80 SUPERIOR NATURAL 2,40m	1	C
3802	KIT SENSUS 80 SUPERIOR NATURAL 2,80m	1	C
3803	KIT SENSUS 80 SUPERIOR NATURAL 3,40m	1	C
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	C
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	C
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	C
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	C
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C

SENSUS 80 RETRAC			
Ref.	Description	U.	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	D
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	D
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	D
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	D
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	D

SENSUS 80 DUO RETRAC			
Ref.	Description	U.	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F

## Referencias

References | Références

FR

### Distribution

PROFILAGE			
Ref.	Description	Unités	Img.
3700	RAIL SENSUS 40 NATURAL 2m	1	I
3706	RAIL SENSUS 40 NATURAL 3m	1	I
3714	RAIL SENSUS 80 NATURAL 2m	1	L
3715	RAIL SENSUS 80 NATURAL 3m	1	L
3716	RAIL SENSUS 40 SILVER 2m	1	I
3718	RAIL SENSUS 40 SILVER 3m	1	I
3719	RAIL SENSUS 80 SILVER 2m	1	L
3748	RAIL SENSUS 80 SILVER 3m	1	L

JEU D'ACCESSOIRES			
Ref.	Description	Unités	Img.
3779	JEU. ACC. SENSUS 40 SUPERIOR	2	J
3780	JEU. ACC. SENSUS 40 RETRAC	2	K
3823	JEU. ACC. SENSUS 80 SUPERIOR	2	M
3824	JEU. ACC. SENSUS 80 RETRAC	2	N

ACCESSOIRES COMPATIBLES

SUPPORT MURAL			
Ref.	Description	Unités	Img.
3387	SUPPORT MURAL 6mm	10	G
2135	SUPPORT MURAL 17mm	10	H

### Boutique en ligne

SENSUS 40 SUPERIOR			
Ref.	Description	Unités	Img.
3700	KIT SENSUS 40 SUPERIOR NATURELLE 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURELLE 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURELLE 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURELLE 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 40 RETRAC			
Ref.	Description	Unités	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B


SENSUS 40 DUO RETRAC			
Ref.	Description	Unités	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

ACCESSOIRES			
Ref.	Description	Unités	Img.
3387	SUPPORT MURAL 6mm	10	G
2135	SUPPORT MURAL 17mm	10	H

SENSUS 80 SUPERIOR			
Ref.	Description	Unités	Img.
3800	KIT SENSUS 80 SUPERIOR NATURELLE 1,80m	1	C
3801	KIT SENSUS 80 SUPERIOR NATURELLE 2,40m	1	C
3802	KIT SENSUS 80 SUPERIOR NATURELLE 2,80m	1	C
3803	KIT SENSUS 80 SUPERIOR NATURELLE 3,40m	1	C
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	C
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	C
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	C
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	C
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C

SENSUS 80 RETRAC			
Ref.	Description	Unités	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	D
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	D
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	D
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	D
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	D


SENSUS 80 DUO RETRAC			
Ref.	Description	Unités	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F



**A**



**B**



**C**



**D**



**E**



**F**



**G**



**H**




**I**



**J**



**K**



**L**



**M**



**N**

# KLEIN®

KLEIN EUROPE  
Edificio KLEIN  
Polígono Industrial Can Cuyás  
N-150 Km. 1  
08110 Montcada i Reixac  
Barcelona (Spain)

Tel: +34 935 760 101  
Fax: +34 935 760 109  
  
+Info  
klein@klein.es  
www.klein.es

Síguenos en redes  
Follow us on social media



KLEIN USA, Inc.®  
1 Madison Street  
East Rutherford, NJ 07073

Phone: 973 246 8181  
Fax: 973 246 8362  
  
+Info  
info@klein-usa.com  
www.klein-usa.com

Follow us on social media  
Síguenos en redes

