

KLEIN

Sliding doors with soft closing system



UNIKGLASS+

Interior Design Glass
Interiorismo Vidrio



UNIKGLASS+



SILVER



BRONZE



BLACK



KBS



KSC

ENG

Unikglass+: a discrete profile guides a single mobile glass pane. It can be hidden in a drop ceiling for a completely minimalist effect. This system does not have any tracks or other architectural barriers on the floor. It allows for an easy and completely intuitive assembly.

- Exposed or hidden profile, installed on a wall, ceiling, or in a drop ceiling, with or without a lintel.
- Special profile with hidden dropped ceiling wings for maximum architectural integration.
- A new clamp which centralises all features of the system: height adjustment, activation of the braking mechanism, and anti-derailing device.
- Fast and intuitive assembly for efficient implementation:
 - Direct access to the clamp.
 - System embedded in drop ceiling: two-phase assembly for easy installation.
- 3/8" or 1/2" glass, weighing up to 220 lbs per panel.
- Height adjustment of +/- 1/8".
- Silver, Black and Bronze anodized aluminum profiles.
- Silent and effortless sliding.
- Five-year KLEIN® warranty.
- Soft closing options:
 - **KSC, Klein Soft Closing:** Smooth, controlled closing.
 - **KBS, Klein Brake System:** Stop with damper brake. Standard for the entire line.*

Systems tested up to 100,000 cycles as per standard EN1527 by IFT Rosenheim.

ESP


Unikglass+: un perfil de sobrio diseño guía una única hoja móvil de vidrio. Puede esconderse en falso techo para un efecto absolutamente minimalista. Es un sistema libre de marco y sin barrera arquitectónica en el pavimento. Permite un montaje fácil, totalmente intuitivo.

- Perfil visto u oculto, instalado a pared, techo y falso techo, con o sin dintel.
- Perfil especial para falso techo, con aletas escondidas para una máxima integración arquitectónica.
- Nueva mordaza: centraliza todas las prestaciones del sistema: regulación en altura, activación del mecanismo de frenado, y dispositivo antidescabalgamiento.
- Montaje rápido e intuitivo:
 - Acceso directo a la mordaza.
 - Sistema empotrado a falso techo: montaje en dos fases para una instalación eficiente.
- Vidrio de 3/8" o 1/2", hasta 220 lbs por hoja.
- Regulación de la altura de +/- 1/8".
- Perfil de aluminio anodizado Silver, Negro y Bronce.
- Deslizamiento silencioso con mínimo esfuerzo.
- Garantía KLEIN® 5 años.
- Opciones de frenado de la puerta:
 - **KSC, Klein Soft Closing:** Detención suave controlada.
 - **KBS, Klein Brake System:** Tope con freno amortiguador. De serie en toda la gama.*


Sistemas testados hasta 100.000 ciclos según la norma EN1527 por IFT Rosenheim.

Exposed / Visto


WALL / PARED



CEILING / TECHO




UNIKGLASS+ 100




$Y1 = H1 + X1 + 16 \text{ mm (5/8")}$

UNIKGLASS+ 100




$Y2 = H2 - 47 \text{ mm (1 13/16")}$




KSC Unikglass+ 100 V ≥ 800 mm (31 1/2")

UNIKGLASS+ 100





Recessed / Empotrado


WITH LINTEL / CON DINTEL



WITHOUT LINTEL / SIN DINTEL




$Y3 = H3 + 16 \text{ mm (5/8")}$



KSC Unikglass+ 100 V ≥ 800 mm (31 1/2")



Without lintel specifications / Especificaciones sin dintel



In Without Lintel Unikglass+ installations the false ceiling profile gallery will measure half of the main profile

En las instalaciones Unikglass+ Sin Dintel la galería del perfil a falso techo medirá la mitad del perfil principal.

- 1- Gallery / Galería
- 2- Main track / Perfil principal

REFERENCES / REFERENCIAS

ENG

UNIKGLASS+ 100 SILVER			
Ref.	Description	Units	Img.
8413	KIT UKG+ 100 KSC WALL MOUNTED 118" TRACKS	1	A+F
8414	KIT UKG+ 100 KSC WALL MOUNTED 157" TRACKS	1	A+F
8423	KIT UKG+ 100 KBS WALL MOUNTED 118" TRACKS	1	A+G
8424	KIT UKG+ 100 KBS WALL MOUNTED 157" TRACKS	1	A+G
8400	SET OF ACC. UKG+ 100 KSC (3/8"-1/2" GLASS)	1	F
8450	SET OF ACC. UKG+ 100 KBS (3/8"-1/2" GLASS)	1	G
8418	KIT UKG+ 100 KSC CEILING MOUNTED 118" TRACKS	1	A+F
8419	KIT UKG+ 100 KSC CEILING MOUNTED 157" TRACKS	1	A+F
8428	KIT UKG+ 100 KBS CEILING MOUNTED 118" TRACKS	1	A+G
8429	KIT UKG+ 100 KBS CEILING MOUNTED 157" TRACKS	1	A+G
2383	RECESSED TRACK UKG+ WITH LINTEL 118"	1	B
2384	RECESSED TRACK UKG+ WITH LINTEL 157"	1	B
2393	RECESSED TRACK UKG+ WITHOUT LINTEL 118"	1	C
2394	RECESSED TRACK UKG+ WITHOUT LINTEL 157"	1	C

UNIKGLASS+ 100 BLACK			
Ref.	Description	Units	Img.
8434	KIT UKG+ 100 KSC WALL MOUNTED 118" TRACKS	1	E+J
8436	KIT UKG+ 100 KSC WALL MOUNTED 157" TRACKS	1	E+J
8444	KIT UKG+ 100 KBS WALL MOUNTED 118" TRACKS	1	E+K
8446	KIT UKG+ 100 KBS WALL MOUNTED 157" TRACKS	1	E+K
8435	KIT UKG+ 100 KSC CEILING MOUNTED 118" TRACKS	1	E+J
8437	KIT UKG+ 100 KSC CEILING MOUNTED 157" TRACKS	1	E+J
8445	KIT UKG+ 100 KBS CEILING MOUNTED 118" TRACKS	1	E+K
8447	KIT UKG+ 100 KBS CEILING MOUNTED 157" TRACKS	1	E+K
8402	SET OF ACC. UKG+100 KSC (3/8"-1/2" GLASS)	1	J
8452	SET OF ACC. UKG+100 KBS (3/8"-1/2" GLASS)	1	K


UNIKGLASS+ 100 BRONZE			
Ref.	Description	Units	Img.
8430	KIT UKG+ 100 KSC WALL MOUNTED 118" TRACKS	1	D+H
8432	KIT UKG+ 100 KSC WALL MOUNTED 157" TRACKS	1	D+H
8440	KIT UKG+ 100 KBS WALL MOUNTED 118" TRACKS	1	D+I
8442	KIT UKG+ 100 KBS WALL MOUNTED 157" TRACKS	1	D+I
8431	KIT UKG+ 100 KSC CEILING MOUNTED 118" TRACKS	1	D+H
8433	KIT UKG+ 100 KSC CEILING MOUNTED 157" TRACKS	1	D+H
8441	KIT UKG+ 100 KBS CEILING MOUNTED 118" TRACKS	1	D+I
8443	KIT UKG+ 100 KBS CEILING MOUNTED 157" TRACKS	1	D+I
8401	SET OF ACC. UKG+100 KSC (3/8"-1/2" GLASS)	1	H
8451	SET OF ACC. UKG+100 KBS (3/8"-1/2" GLASS)	1	I

ESP

UNIKGLASS+ 100 SILVER				
Ref.	Descripción	U.	Img.	
8413	KIT UKG+ 100 KSC PERFIL PARED 118"	1	A+F	
8414	KIT UKG+ 100 KSC PERFIL PARED 157"	1	A+F	
8423	KIT UKG+ 100 KBS PERFIL PARED 118"	1	A+G	
8424	KIT UKG+ 100 KBS PERFIL PARED 157"	1	A+G	
8400	JGO. ACC. UKG+ 100 KSC	1	F	
8450	JGO. ACC. UKG+ 100 KBS+	1	G	
8418	KIT UKG+ 100 KSC PERFIL TECHO 118"	1	A+F	
8419	KIT UKG+ 100 KSC PERFIL TECHO 157"	1	A+F	
8428	KIT UKG+ 100 KBS PERFIL TECHO 118"	1	A+G	
8429	KIT UKG+ 100 KBS PERFIL TECHO 157"	1	A+G	
2383	PERFIL FALSO TECHO UKG+ 118" CON DINTEL	1	B	
2384	PERFIL FALSO TECHO UKG+ 157" CON DINTEL	1	B	
2393	PERFIL FALSO TECHO UKG+ 118" SIN DINTEL	1	C	
2394	PERFIL FALSO TECHO UKG+ 157" SIN DINTEL	1	C	

UNIKGLASS+ 100 NEGRO				
Ref.	Descripción	U.	Img.	
8434	KIT UKG+ 100 KSC PERFIL PARED 118"	1	E+J	
8436	KIT UKG+ 100 KSC PERFIL PARED 157"	1	E+J	
8444	KIT UKG+ 100 KBS PERFIL PARED 118"	1	E+K	
8446	KIT UKG+ 100 KBS PERFIL PARED 157"	1	E+K	
8435	KIT UKG+ 100 KSC PERFIL TECHO 118"	1	E+J	
8437	KIT UKG+ 100 KSC PERFIL TECHO 157"	1	E+J	
8445	KIT UKG+ 100 KBS PERFIL TECHO 118"	1	E+K	
8447	KIT UKG+ 100 KBS PERFIL TECHO 157"	1	E+K	
8402	JGO. ACC. UKG+100 KSC	1	J	
8452	JGO. ACC. UKG+100 KBS+	1	K	

UNIKGLASS+ 100 BRONCE				
Ref.	Descripción	U.	Img.	
8430	KIT UKG+ 100 KSC PERFIL PARED 118"	1	D+H	
8432	KIT UKG+ 100 KSC PERFIL PARED 157"	1	D+H	
8440	KIT UKG+ 100 KBS PERFIL PARED 118"	1	D+I	
8442	KIT UKG+ 100 KBS PERFIL PARED 157"	1	D+I	
8431	KIT UKG+ 100 KSC PERFIL TECHO 118"	1	D+H	
8433	KIT UKG+ 100 KSC PERFIL TECHO 157"	1	D+H	
8441	KIT UKG+ 100 KBS PERFIL TECHO 118"	1	D+I	
8443	KIT UKG+ 100 KBS PERFIL TECHO 157"	1	D+I	
8401	JGO. ACC. UKG+100 KSC	1	H	
8451	JGO. ACC. UKG+100 KBS+	1	I	



KLEIN

KLEIN USA, Inc.®
1 Madison Street
East Rutherford, NJ 07073

Phone: 973 246 8181
Fax: 973 246 8362
info@klein-usa.com
www.klein-usa.com

Follow us on social media
Síguenos en redes

