

**KLEIN®**

Sistema de puertas correderas de madera  
Wood Sliding doors  
Système de porte coulissantes de bois  
Schiebetürsystem mit sanftem Schließen

# SENSUS

Interiorismo Madera  
Interior Design Wood  
Décoration d'Intérieur Bois  
Innenausstattung Holz



ESP

SENSUS permite dividir ambientes mediante un único panel corredero de madera. Compacto y robusto, sencillo y funcional, SENSUS resiste los usos más intensivos y reúne todos los criterios de excelencia KLEIN.

- Instalación a techo o a pared con aplicación:
  - Superior o
  - Retrac: con herrajes empotrados en la puerta para reducir a 4mm la separación entre el perfil y la puerta.
- Para paneles de 40 y 80kg.
- Sistema compacto para un diseño minimalista.
- Apertura y deslizamiento suave, particularmente silencioso gracias a la nueva tecnología de deslizamiento por fricción.
- Montaje rápido e intuitivo para una ejecución eficiente.
- Sistema compacto para un diseño minimalista.
- Ausencia de guía en el suelo para liberar la zona de paso.
- Perfil de aluminio anodizado Silver
- Garantía KLEIN® 5 años.

Sistemas testados más de 100.000 ciclos según la norma EN1527.

ENG

SENSUS allows you to divide rooms with a single sliding wood panel. Compact and robust, simple and functional, SENSUS resists even the most intensive uses and meets all of KLEIN's criteria for excellence.

- Ceiling or wall installation in either of the following versions:
  - Upper or
  - Retrac: with fittings built into the door to reduce the separation between the profile and the door to 4 mm.
- For panels weighing 40 to 80 kg.
- Smooth opening and sliding, particularly silent thanks to our new frictional sliding technology.
- Quick, intuitive assembly for efficient implementation.
- Compact system for a minimalist design.
- Absence of any floor tracks to keep the passage area clear.
- Silver anodized aluminum profile.
- Five-year KLEIN® warranty.

Systems tested to over 100,000 cycles, in accordance with the EN 1527 standard.

FRA

SENSUS permet de diviser les pièces au moyen d'un seul panneau coulissant en bois. Compact et robuste, simple et fonctionnel, SENSUS résiste à l'utilisation la plus intensive et répond à tous les critères d'excellence de KLEIN.

- Deux versions disponibles, toutes deux pour pose au plafond ou au mur, au choix:
  - Superior ou
  - Retrac : l'encastrement des ferrures dans la porte permet de réduire l'espace entre le profilé et la porte à 4 mm.
- Convient aux panneaux de 40 et 80 kg.
- Ouverture et coulissement en douceur, particulièrement silencieux grâce à la nouvelle technologie de coulissement par friction.
- Montage rapide et intuitif pour faciliter la mise en place.
- Système compact permettant un design minimaliste.
- Pas de rail au sol, pour dégager la zone de passage.
- Profilé en aluminium anodisé Silver.
- Garantie KLEIN® de 5 ans.

Systèmes testés pour plus de 100 000 cycles conformément à la norme EN1527.

DEU

Mit SENSUS lassen sich Raumteilungen mit einem einzigen Schiebepanel realisieren. Das ebenso kompakte und robuste wie einfache und funktionale System ist selbst belastungsintensivsten Einsatzfällen gewachsen und wird sämtlichen Qualitätsansprüchen von KLEIN gerecht.

- Decken- oder Wandeinbau mit folgenden Ausführungsoptionen:
  - Oben oder
  - Retrac: mit in die Tür eingelassenen Beschlägen, die den Abstand zwischen Profil und Tür auf 4 mm reduzieren
- Für Paneele mit einem Gewicht von 40 bis 80 kg
- Reibungsloses Öffnen und Schließen, dank unserer neuen Reibschiebetechologie so gut wie geräuschlos
- Schnelle, intuitive Montage für einen effizienten Einbau
- Kompaktes System für ein minimalistisches Design
- Wegfall jeglicher Bodenführungen für einen ungehinderten Durchgang
- Silber-eloxiertes Aluminiumprofil
- Fünf Jahre Gewährleistung von KLEIN®

Systeme sind gemäß der Norm EN 1527 auf mehr als 100,000 Zyklen getestet



SENSUS 40 SUPERIOR



SENSUS 40 RETRAC




SENSUS 80 SUPERIOR




SENSUS 80 RETRAC




SENSUS 40



SENSUS 80





SENSUS 40






SUPERIOR

RETRAC





SENSUS 80



SUPERIOR

RETRAC







SENSUS 40

SUPERIOR

SOPORTE PARED 6mm / WALL BRACKET 6mm




SOPORTE PARED 17 mm / WALL BRACKET 17 mm




RETRAC

SOPORTE PARED 6mm / WALL BRACKET 6mm




SOPORTE PARED 17 mm / WALL BRACKET 17 mm




SENSUS 80

SUPERIOR

SOPORTE PARED 6mm / WALL BRACKET 6mm




SOPORTE PARED 17 mm / WALL BRACKET 17 mm




RETRAC

SOPORTE PARED 6mm / WALL BRACKET 6mm



SOPORTE PARED 17 mm / WALL BRACKET 17 mm



REFERENCIAS / REFERENCES / RÉFÉRENCES / REFERENZ

Oferta Industrial

ESP

SENSUS 40 SUPERIOR			
Ref.	Descripción	U.	Img.
3700	KIT SENSUS 40 SUPERIOR NATURAL 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURAL 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURAL 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURAL 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 40 RETRAC			
Ref.	Descripción	U.	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 40 DUO RETRAC			
Ref.	Descripción	U.	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

ACCESORIOS			
Ref.	Descripción	U.	Img.
3387	SOPORTE PARED 6mm	10	G
2135	SOPORTE PARED 17mm	10	H

Oferta Distribuidor

ESP

SENSUS 40 SUPERIOR			
Ref.	Descripción	U.	Img.
3770	PF. SENSUS 40 NATURAL 6m	6	I
3775	PF. SENSUS 40 SILVER 6m	6	I
3779	JGO. ACC. SENSUS 40 SUPERIOR	2	J
3780	JGO. ACC. SENSUS 40 RETRAC	2	K


ACCESORIOS			
Ref.	Descripción	U.	Img.
3387	SOPORTE PARED 6mm	10	G
2135	SOPORTE PARED 17mm	10	H

SENSUS 80 SUPERIOR			
Ref.	Descripción	U.	Img.
3800	KIT SENSUS 80 SUPERIOR NATURAL 1,80m	1	C
3801	KIT SENSUS 80 SUPERIOR NATURAL 2,40m	1	C
3802	KIT SENSUS 80 SUPERIOR NATURAL 2,80m	1	C
3803	KIT SENSUS 80 SUPERIOR NATURAL 3,40m	1	C
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	C
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	C
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	C
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	C
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	C


SENSUS 80 RETRAC			
Ref.	Descripción	U.	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	D
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	D
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	D
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	D
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	D

SENSUS 80 DUO RETRAC			
Ref.	Descripción	U.	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F


SENSUS 40 SUPERIOR			
Ref.	Descripción	U.	Img.
3821	PF. SENSUS 80 NATURAL 6m	6	L
3822	PF. SENSUS 80 SILVER 6m	6	L
3823	JGO. ACC. SENSUS 80 SUPERIOR	2	M
3824	JGO. ACC. SENSUS 80 RETRAC	2	N



A




B



C



D



E




F



G



H




I



J



K



L



M



N

ENG

SENSUS 40 SUPERIOR			
Ref.	Description	U.	Img.
3700	KIT SENSUS 40 SUPERIOR NATURAL 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURAL 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURAL 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURAL 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 40 RETRAC			
Ref.	Description	U.	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 40 DUO RETRAC			
Ref.	Description	U.	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

SENSUS 40 DUO RETRAC			
Ref.	Description	U.	Img.
3387	WALL BRACKET 6mm	10	G
2135	WALL BRACKET 17mm	10	H

FR

SENSUS 40 SUPERIOR			
Ref.	Description	U.	Img.
3700	KIT SENSUS 40 SUPERIOR NATURELLE 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURELLE 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURELLE 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURELLE 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILVER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILVER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILVER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILVER 3,40m	1	A

SENSUS 80 SUPERIOR			
Ref.	Description	U.	Img.
3800	KIT SENSUS 80 SUPERIOR NATURAL 1,80m	1	A
3801	KIT SENSUS 80 SUPERIOR NATURAL 2,40m	1	A
3802	KIT SENSUS 80 SUPERIOR NATURAL 2,80m	1	A
3803	KIT SENSUS 80 SUPERIOR NATURAL 3,40m	1	A
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	A
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	A
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	A
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	A
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	A
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	A

SENSUS 80 RETRAC			
Ref.	Description	U.	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	B
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	B
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	B
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	B
3817	KIT SENSUS 80 RETRAC SILVER 4,00m	1	B

SENSUS 80 DUO RETRAC			
Ref.	Description	U.	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F

SENSUS 80 SUPERIOR			
Ref.	Description	U.	Img.
3800	KIT SENSUS 80 SUPERIOR NATURELLE 1,80m	1	A
3801	KIT SENSUS 80 SUPERIOR NATURELLE 2,40m	1	A
3802	KIT SENSUS 80 SUPERIOR NATURELLE 2,80m	1	A
3803	KIT SENSUS 80 SUPERIOR NATURELLE 3,40m	1	A
3804	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	A
3805	KIT SENSUS 80 SUPERIOR SILVER 1,80m	1	A
3806	KIT SENSUS 80 SUPERIOR SILVER 2,40m	1	A
3810	KIT SENSUS 80 SUPERIOR SILVER 2,80m	1	A
3811	KIT SENSUS 80 SUPERIOR SILVER 3,40m	1	A
3812	KIT SENSUS 80 SUPERIOR SILVER 4,00m	1	A

SENSUS 40 RETRAC			
Ref.	Description	U.	Img.
3749	KIT SENSUS 40 RETRAC SILVER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILVER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILVER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILVER 3,40m	1	B

SENSUS 40 DUO RETRAC			
Ref.	Description	U.	Img.
3760	KIT SENSUS 40 DUO RETRAC SILVER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILVER 6m	1	E

SENSUS 40 DUO RETRAC			
Ref.	Description	U.	Img.
3387	SUPPORT MURAL 6mm	10	G
2135	SUPPORT MURAL 17mm	10	H

DEU

SENSUS 40 SUPERIOR			
Ref.	Beschreibung	Einh	Img.
3700	KIT SENSUS 40 SUPERIOR NATURAL 1,80m	1	A
3706	KIT SENSUS 40 SUPERIOR NATURAL 2,40m	1	A
3714	KIT SENSUS 40 SUPERIOR NATURAL 2,80m	1	A
3715	KIT SENSUS 40 SUPERIOR NATURAL 3,40m	1	A
3716	KIT SENSUS 40 SUPERIOR SILBER 1,80m	1	A
3718	KIT SENSUS 40 SUPERIOR SILBER 2,40m	1	A
3719	KIT SENSUS 40 SUPERIOR SILBER 2,80m	1	A
3748	KIT SENSUS 40 SUPERIOR SILBER 3,40m	1	A

SENSUS 40 RETRAC			
Ref.	Beschreibung	Einh	Img.
3749	KIT SENSUS 40 RETRAC SILBER 1,80m	1	B
3750	KIT SENSUS 40 RETRAC SILBER 2,40m	1	B
3755	KIT SENSUS 40 RETRAC SILBER 2,80m	1	B
3759	KIT SENSUS 40 RETRAC SILBER 3,40m	1	B

SENSUS 40 DUO RETRAC			
Ref.	Beschreibung	Einh	Img.
3760	KIT SENSUS 40 DUO RETRAC SILBER 4m	1	E
3769	KIT SENSUS 40 DUO RETRAC SILBER 6m	1	E

SENSUS 40 DUO RETRAC			
Ref.	Beschreibung	Einh	Img.
3387	WANDHALTERUNG 6mm	10	G
2135	WANDHALTERUNG 17mm	10	H


SENSUS 80 RETRAC			
Ref.	Description	U.	Img.
3813	KIT SENSUS 80 RETRAC SILVER 1,80m	1	B
3814	KIT SENSUS 80 RETRAC SILVER 2,40m	1	B
3815	KIT SENSUS 80 RETRAC SILVER 2,80m	1	B
3816	KIT SENSUS 80 RETRAC SILVER 3,40m	1	B
3817	KIT SENSUS 80 RETRAC SILVER 3,40m	1	B

SENSUS 80 DUO RETRAC			
Ref.	Description	U.	Img.
3818	KIT SENSUS 80 DUO RETRAC SILVER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILVER 6m	1	F

SENSUS 80 SUPERIOR			
Ref.	Beschreibung	Einh	Img.
3800	KIT SENSUS 80 SUPERIOR NATURAL 1,80m	1	A
3801	KIT SENSUS 80 SUPERIOR NATURAL 2,40m	1	A
3802	KIT SENSUS 80 SUPERIOR NATURAL 2,80m	1	A
3803	KIT SENSUS 80 SUPERIOR NATURAL 3,40m	1	A
3804	KIT SENSUS 80 SUPERIOR SILBER 4,00m	1	A
3805	KIT SENSUS 80 SUPERIOR SILBER 1,80m	1	A
3806	KIT SENSUS 80 SUPERIOR SILBER 2,40m	1	A
3810	KIT SENSUS 80 SUPERIOR SILBER 2,80m	1	A
3811	KIT SENSUS 80 SUPERIOR SILBER 3,40m	1	A
3812	KIT SENSUS 80 SUPERIOR SILBER 4,00m	1	A

SENSUS 80 RETRAC			
Ref.	Beschreibung	Einh	Img.
3813	KIT SENSUS 80 RETRAC SILBER 1,80m	1	B
3814	KIT SENSUS 80 RETRAC SILBER 2,40m	1	B
3815	KIT SENSUS 80 RETRAC SILBER 2,80m	1	B
3816	KIT SENSUS 80 RETRAC SILBER 3,40m	1	B
3817	KIT SENSUS 80 RETRAC SILBER 4,00m	1	B

SENSUS 80 DUO RETRAC			
Ref.	Beschreibung	Einh	Img.
3818	KIT SENSUS 80 DUO RETRAC SILBER 4m	1	F
3820	KIT SENSUS 80 DUO RETRAC SILBER 6m	1	F



A



B



C



D



E




F



G



H



# KLEIN®

KLEIN EUROPE  
Edificio KLEIN  
Polígono Industrial Can Cuyás  
N-150 Km. 1  
08110 Montcada i Reixac  
Barcelona (Spain)

Tel: +34 935 760 101  
Fax: +34 935 760 109

+Info  
klein@klein.es  
www.klein.es

Síguenos en redes  
Follow us on social media

